

Field	Indicator	Field/Subfield [note]	Pertinent MARC Definition	Z39.50 schema	Pertinent Z39.50 Abstract Definition
001 - CONTROL NUMBER (NR)			The system control number assigned to a separate holdings record.		
003 - CONTROL NUMBER IDENTIFIER (NR)			The MARC code for the agency whose system control number is present in field 001 (Control Number).		
004 - CONTROL NUMBER FOR RELATED BIBLIOGRAPHIC RECORD (NR)			The system control number of the MARC bibliographic record for which a separate holdings record was created.	targetItemID [ <i>OR</i> ] actualBibItem	<b>targetItemID</b> = "a unique identifier for the bibliographic record in the Z39.50 target's database"; <b>actualBibItem</b> = "the bibliographic record to which the holdings apply"
005 - DATE AND TIME OF LATEST TRANSACTION (NR)		[ yyyymmddhhmss.f ]	Sixteen characters that indicate the date and time of the latest record transaction and serve as a version identifier for the record. They are recorded according to <i>Representation of Dates and Times</i> (ISO 8601). Based on 24-hour clock.	dateOfReport	Cross referenced to field 005 in Z39.50 holdings version 1.4
007 - PHYSICAL DESCRIPTION FIXED FIELD (NR)		[ varies according to type of item ] [ 00-01 ]	Coded, copy-specific physical characteristics of the bibliographic item for which the holdings are recorded. The Category of material code (007/00) may be described textually in field 842 (Textual Physical Form Designator).	physicalFormDesignator	cross referenced to subfields 007/00-01 in Z39.50 holdings version 1.4
008 - FIXED-LENGTH DATA ELEMENTS (NR)		00-31 includes all	Thirty-two character positions (00-31) that contain data elements that provide coded information about the record. Each defined character position must contain either a defined code or a fill character (   ). The fill character = no attempt to code. Embedded holdings information in a MARC bibliographic record may be contained in field 841 \$b (Holdings Coded Data Values, Fixed-length data elements).		
		00-05 - Date entered on file	The computer-generated, six-character numeric string that indicates the date the holdings report was first entered into machine-readable form. The date is recorded in the pattern <i>yymdd</i>		
		06 - Receipt or acquisition status	Indicates whether newly published parts of a multipart or serial item are being received.	unionCatAcqStatusDesignator	<b>unionCatAcqStatusDesignator</b> = acquisition status of (all or any copies of) the item as reported to a union catalog
		07 - Method of acquisition			
		08-11 - Expected acquisition end date	Indicates an intent to cancel, the effective date of a cancellation, or the date of the last expected part of a multipart or serial item. Pattern <i>yymm</i> .		
		12 - General retention policy	Indicates the general retention policy for the item.	unionCatRetentionDesignator	unionCatRetentionDesignator = [From ISO 10324 and NISO Z39.71] retention designator for (all or any copies of) the item as reported to a union catalog
		13 - Policy Type			
		14 - Number of units	A one-character number (1-9) that specifies the number of time units or parts that are retained in 008/14. If the number of time units or parts exceeds 9, this information may be contained in subfield \$x (Nonpublic note) or \$z (Public note) of field 852 (Location) or one of the 86X Holding Data fields. When Policy type is Latest (code l), the number includes the current time or part unit. When Policy type is Previous (code p), the number does not include the current time or part unit.		
		15 - Unit type	Describes either the period of retention of the part that is retained.		

		16 - Completeness	Indicates an estimation of the general extent of the holdings for a multipart or serial item.	unionCatCompletenessDesignator	completeness designator for (all or any copies of) the item as reported to a union catalog
		17-19 - Number of copies reported	Three numeric characters that indicate the number of copies reported. The number is right justified and each unused position contains a zero.	numberOfCopies	cross referenced to subfields 008/17-19 in Z39.50 holdings version 1.4
		20 - Lending policy	More specific information may be contained in field 845 (Terms Governing Use and Reproduction Note).	unionCatLendingInfo	ILL or other external lending policy for (all or any copies of) the item as reported to a union catalog
		21 - Reproduction policy	Indicates the reporting organization's reproduction policy for the item. More specific reproduction information may be contained in field 845 (Terms Governing Use and Reproduction Note).	unionCatReproductionInfo	reproduction service policy for (all or any copies of) the item as reported to a union catalog
		22-24 - Language	A three-character MARC code that indicates the language of coded data in the 863-865 Enumeration and Chronology fields that require a language table to generate chronological terms or ordinal numbers for the codes in a display. See MARC Code List for Languages.		
		25 - Separate or composite copy report	Indicates whether the holdings information represents a composite copy report or a separate copy report.		
		26-31 - Date of report	Indicates the currency of the holdings information. The date is recorded in the pattern <i>yymdd</i> .		
010 - LIBRARY OF CONGRESS CONTROL NUMBER (NR)	First - Undefined		The control number, assigned by the Library of Congress, of the related MARC bibliographic record for which a separate holdings record is made.		
010 - LIBRARY OF CONGRESS CONTROL NUMBER (NR)	# - Undefined				
010 - LIBRARY OF CONGRESS CONTROL NUMBER (NR)	Second - Undefined				
010 - LIBRARY OF CONGRESS CONTROL NUMBER (NR)	# - Undefined				
010 - LIBRARY OF CONGRESS CONTROL NUMBER (NR)		\$a - LC control number (NR)			
010 - LIBRARY OF CONGRESS CONTROL NUMBER (NR)		\$b - NUCMC control number (R)			
010 - LIBRARY OF CONGRESS CONTROL NUMBER (NR)		\$z - Canceled or invalid LC control number (R)			
010 - LIBRARY OF CONGRESS CONTROL NUMBER (NR)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
014 - LINKAGE NUMBER (R)	First - type of linkage number		The control number, assigned by a bibliographic network, of a separate holdings record or its related bibliographic record for which a separate holdings record is made.		
014 - LINKAGE NUMBER (R)	0 - Holdings record number				
014 - LINKAGE NUMBER (R)	1 - Bibliographic record number				
014 - LINKAGE NUMBER (R)	Second - Undefined				

014 - LINKAGE NUMBER (R)	# - Undefined				
014 - LINKAGE NUMBER (R)		\$a - linkage number (NR)			
014 - LINKAGE NUMBER (R)		\$b - source of number (NR)			
014 - LINKAGE NUMBER (R)		\$z - cancelled or invalid linkage number (R)			
014 - LINKAGE NUMBER (R)		\$6 - linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
016 - NATIONAL BIBLIOGRAPHIC AGENCY CONTROL NUMBER (R)	First - national bibliographic agency		The control number, assigned by a national bibliographic agency other than the Library of Congress, of the related bibliographic record for which a separate holdings record is made.		
016 - NATIONAL BIBLIOGRAPHIC AGENCY CONTROL NUMBER (R)	# - national library of canada				
016 - NATIONAL BIBLIOGRAPHIC AGENCY CONTROL NUMBER (R)	7 - agency identified in subfield \$2				
016 - NATIONAL BIBLIOGRAPHIC AGENCY CONTROL NUMBER (R)	Second - Undefined				
016 - NATIONAL BIBLIOGRAPHIC AGENCY CONTROL NUMBER (R)	# - Undefined				
016 - NATIONAL BIBLIOGRAPHIC AGENCY CONTROL NUMBER (R)		\$a - record control number (NR)			
016 - NATIONAL BIBLIOGRAPHIC AGENCY CONTROL NUMBER (R)		\$z - cancelled or invalid control number (R)			
016 - NATIONAL BIBLIOGRAPHIC AGENCY CONTROL NUMBER (R)		\$2 - source (NR)			
016 - NATIONAL BIBLIOGRAPHIC AGENCY CONTROL NUMBER (R)		\$8 - field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
020 - INTERNATIONAL STANDARD BOOK NUMBER (R)	First - Undefined		The International Standard Book Number (ISBN) copied from subfield \$a of field 020 (International Standard Book Number) of the MARC bibliographic record that represents the description of the item for which a separate holdings record is created.		
020 - INTERNATIONAL STANDARD BOOK NUMBER (R)	# - Undefined				
020 - INTERNATIONAL STANDARD BOOK NUMBER (R)	Second - Undefined				
020 - INTERNATIONAL STANDARD BOOK NUMBER (R)	# - Undefined				
020 - INTERNATIONAL STANDARD BOOK NUMBER (R)		\$a - International Standard Book Number (NR)			
020 - INTERNATIONAL STANDARD BOOK NUMBER (R)		\$c - Terms of availability (NR)			
020 - INTERNATIONAL STANDARD BOOK NUMBER (R)		\$z - Canceled/invalid ISBN (R)			
020 - INTERNATIONAL STANDARD BOOK NUMBER (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
020 - INTERNATIONAL STANDARD BOOK NUMBER (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		

022 - INTERNATIONAL STANDARD SERIAL NUMBER (R)	First - Level of international interest		The International Standard Serial Number (ISSN) copied from subfield \$a of field 022 (International Standard Serial Number) of the MARC bibliographic record that represents the description of the item for which a separate holdings record is created.		
022 - INTERNATIONAL STANDARD SERIAL NUMBER (R)	# - No level specified				
022 - INTERNATIONAL STANDARD SERIAL NUMBER (R)	0 - Serial of international interest				
022 - INTERNATIONAL STANDARD SERIAL NUMBER (R)	1 - Serial not of international interest				
022 - INTERNATIONAL STANDARD SERIAL NUMBER (R)	Second - Undefined				
022 - INTERNATIONAL STANDARD SERIAL NUMBER (R)	# - Undefined				
022 - INTERNATIONAL STANDARD SERIAL NUMBER (R)		\$a - International Standard Serial Number (NR)	The valid ISSN for the serial. <i>ISSN</i> may be generated for display.		
022 - INTERNATIONAL STANDARD SERIAL NUMBER (R)		\$y - Incorrect ISSN (R)	<i>ISSN (incorrect)</i> may be generated for display.		
022 - INTERNATIONAL STANDARD SERIAL NUMBER (R)		\$z - Canceled ISSN (R)	<i>ISSN (canceled)</i> may be generated for display.		
022 - INTERNATIONAL STANDARD SERIAL NUMBER (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
022 - INTERNATIONAL STANDARD SERIAL NUMBER (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
023 - STANDARD FILM NUMBER (R) [DELETED]	deleted	deleted			
024 - OTHER STANDARD IDENTIFIER (R)	First - Type of standard number or code		A standard number or code published on an item which cannot be accommodated in another field		
024 - OTHER STANDARD IDENTIFIER (R)	0 - International Standard Recording Code (ISRC)				
024 - OTHER STANDARD IDENTIFIER (R)	1 - Universal Product Code (UPC)				

024 - OTHER STANDARD IDENTIFIER (R)	2 - International Standard Music Number (ISMN)				
024 - OTHER STANDARD IDENTIFIER (R)	3 - International Article Number (EAN)				
024 - OTHER STANDARD IDENTIFIER (R)	4 - Serial Item and Contribution Identifier (SICI)				
024 - OTHER STANDARD IDENTIFIER (R)	7 - Source specified in subfield \$2				
024 - OTHER STANDARD IDENTIFIER (R)	8 - Unspecified type of standard number or code				
024 - OTHER STANDARD IDENTIFIER (R)	Second - Difference indicator				
024 - OTHER STANDARD IDENTIFIER (R)	# - No information provided				
024 - OTHER STANDARD IDENTIFIER (R)	0 - No difference				
024 - OTHER STANDARD IDENTIFIER (R)	1 - Difference				
024 - OTHER STANDARD IDENTIFIER (R)		\$a - Standard number or code (NR)			
024 - OTHER STANDARD IDENTIFIER (R)		\$c - Terms of availability (NR)			
024 - OTHER STANDARD IDENTIFIER (R)		\$d - Additional codes following the standard number or code (NR)			
024 - OTHER STANDARD IDENTIFIER (R)		\$z - Canceled/invalid standard number or code (R)			
024 - OTHER STANDARD IDENTIFIER (R)		\$2 - Source of number or code (NR)			
024 - OTHER STANDARD IDENTIFIER (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
024 - OTHER STANDARD IDENTIFIER (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
027 - STANDARD TECHNICAL REPORT NUMBER (R)	First - Undefined		The Standard Technical Report Number (STRN) copied from field 027 of the related MARC bibliographic record.		
027 - STANDARD TECHNICAL REPORT NUMBER (R)	# - Undefined				

027 - STANDARD TECHNICAL REPORT NUMBER (R)	Second - Undefined				
027 - STANDARD TECHNICAL REPORT NUMBER (R)	# - Undefined				
027 - STANDARD TECHNICAL REPORT NUMBER (R)		\$a - Standard Technical Report Number (NR)			
027 - STANDARD TECHNICAL REPORT NUMBER (R)		\$z - Canceled/invalid STRN (R)			
027 - STANDARD TECHNICAL REPORT NUMBER (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
027 - STANDARD TECHNICAL REPORT NUMBER (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
030 - CODEN DESIGNATION (NR)	First - Undefined		The CODEN designation copied from field 030 of the related MARC bibliographic record.		
030 - CODEN DESIGNATION (NR)	# - Undefined				
030 - CODEN DESIGNATION (NR)	Second - Undefined				
030 - CODEN DESIGNATION (NR)	# - Undefined				
030 - CODEN DESIGNATION (NR)		\$a - CODEN (NR)			
030 - CODEN DESIGNATION (NR)		\$z - Canceled/invalid CODEN (R)			
030 - CODEN DESIGNATION (NR)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
030 - CODEN DESIGNATION (NR)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
035 - SYSTEM CONTROL NUMBER (R)	First - Undefined		A control number, assigned by any agency, of a holdings record or a related bibliographic record for which a separate holdings record is made.		
035 - SYSTEM CONTROL NUMBER (R)	# - Undefined				
035 - SYSTEM CONTROL NUMBER (R)	Second - Undefined				
035 - SYSTEM CONTROL NUMBER (R)	# - Undefined				
035 - SYSTEM CONTROL NUMBER (R)		\$a - System control number (NR)	The MARC code (enclosed in parentheses) for the organization originating the system control number precedes the number.		
035 - SYSTEM CONTROL NUMBER (R)		\$z - Canceled or invalid control number (R)			
035 - SYSTEM CONTROL NUMBER (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
035 - SYSTEM CONTROL NUMBER (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
040 - RECORD SOURCE (NR)	First - Undefined		The MARC code for or the name of the organization(s) that created the original, assigned MARC content designation and transcribed the record into machine-readable form, or modified an existing MARC record.		

040 - RECORD SOURCE (NR)	# - Undefined				
040 - RECORD SOURCE (NR)	Second - Undefined				
040 - RECORD SOURCE (NR)	# - Undefined				
040 - RECORD SOURCE (NR)		\$a - Original cataloging agency (NR)			
040 - RECORD SOURCE (NR)		\$b - Language of cataloging (NR)	A MARC code for the language used in the textual portions of the record.		
040 - RECORD SOURCE (NR)		\$c - Transcribing agency (NR)			
040 - RECORD SOURCE (NR)		\$d - Modifying agency (R)			
040 - RECORD SOURCE (NR)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
040 - RECORD SOURCE (NR)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
066 - CHARACTER SETS PRESENT (NR)	First - Undefined		Information that indicates that the character set present in a record is other than ISO 10646 (or Unicode).		
066 - CHARACTER SETS PRESENT (NR)	# - Undefined				
066 - CHARACTER SETS PRESENT (NR)	Second - Undefined				
066 - CHARACTER SETS PRESENT (NR)	# - Undefined				
066 - CHARACTER SETS PRESENT (NR)		\$a - Primary G0 character set (NR)	The Intermediate and Final characters of the escape sequence that designates and invokes the default G0 character set.		
066 - CHARACTER SETS PRESENT (NR)		\$b - Primary G1 character set (NR)	The Intermediate and Final characters of the escape sequence that designates and invokes the default G1 character set.		
066 - CHARACTER SETS PRESENT (NR)		\$c - Alternate G0 or G1 character set (R)	The Intermediate and Final characters of each escape sequence that designates an alternate G0 or G1 character set used in a record.		
538 - SYSTEM DETAILS NOTE (R)	First - Undefined		Technical information about an item, such as the presence or absence of certain kinds of codes; or the physical characteristics of a computer file, such as recording densities, parity, blocking factors, mode of access, software programming language, computer requirements, peripheral requirements, trade name or recording systems, number of lines of resolution, and modulation frequency.		
538 - SYSTEM DETAILS NOTE (R)	# - Undefined				
538 - SYSTEM DETAILS NOTE (R)	Second - Undefined				
538 - SYSTEM DETAILS NOTE (R)	# - Undefined				
538 - SYSTEM DETAILS NOTE (R)		\$a - System details note (NR)			
538 - SYSTEM DETAILS NOTE (R)		\$i - Display text (NR)			
538 - SYSTEM DETAILS NOTE (R)		\$u - Uniform Resource Identifier (R)			
538 - SYSTEM DETAILS NOTE (R)		\$3 - Material specified (NR)			

538 - SYSTEM DETAILS NOTE (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
538 - SYSTEM DETAILS NOTE (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)	First - Undefined		Information on the immediate source of acquisition of the described materials. The field is used primarily for original or historical items or other archival collections.		
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)	# - Undefined				
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)	Second - Undefined				
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)	# - Undefined				
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$a - Source of acquisition (NR)	The name of the person or organization that is the source of the material.		
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$b - Address (NR)			
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$c - Method of acquisition (NR)	The terms under which a transfer of physical custody occurs, e.g., by gift, loan, purchase.		
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$d - Date of acquisition (NR)			
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$e - Accession number (NR)	The identification code assigned to materials acquired in a single and separate transfer of custody.		
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$f - Owner (NR)	The individual or organization with legal custody over the described materials.		
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$h - Purchase price (NR)			
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$n - Extent (R)	The number of items acquired.		
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$o - Type of unit (R)	The name of the unit of measurement, e.g., cartons.		
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$3 - Materials specified (NR)	Identifies the part of the bibliographic item to which the field applies.		
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$5 - Institution to which field applies (NR)			
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
541 - IMMEDIATE SOURCE OF ACQUISITION NOTE (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
561 - OWNERSHIP AND CUSTODIAL HISTORY (R)	First - Undefined		Information concerning the ownership and custodial history of the described materials from the time of their creation to the time of their accessioning, including the time at which individual items or group of items were first brought together in their current arrangement or collation.		
561 - OWNERSHIP AND CUSTODIAL HISTORY (R)	# - Undefined				
561 - OWNERSHIP AND CUSTODIAL HISTORY (R)	Second - Undefined				

561 - OWNERSHIP AND CUSTODIAL HISTORY (R)	# - Undefined				
561 - OWNERSHIP AND CUSTODIAL HISTORY (R)		\$a - History (NR)			
561 - OWNERSHIP AND CUSTODIAL HISTORY (R)		\$b - Time of collation (NR) [OBSOLETE]			
561 - OWNERSHIP AND CUSTODIAL HISTORY (R)		\$3 - Materials specified (NR)	Identifies the part of the bibliographic item to which the field applies.		
561 - OWNERSHIP AND CUSTODIAL HISTORY (R)		\$5 - Institution to which field applies (NR)			
561 - OWNERSHIP AND CUSTODIAL HISTORY (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
561 - OWNERSHIP AND CUSTODIAL HISTORY (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
562 - COPY AND VERSION IDENTIFICATION NOTE (R)	First - Undefined		Information that distinguishes the copy or version of materials held by an archive or manuscript repository when more than one copy or version exists or could exist.		
562 - COPY AND VERSION IDENTIFICATION NOTE (R)	# - Undefined				
562 - COPY AND VERSION IDENTIFICATION NOTE (R)	Second - Undefined				
562 - COPY AND VERSION IDENTIFICATION NOTE (R)	# - Undefined				
562 - COPY AND VERSION IDENTIFICATION NOTE (R)		\$a - Identifying markings (R)	Markings on the <i>support</i> or imbedded in the <i>medium</i> that can be used to identify the copy of the described materials.		
562 - COPY AND VERSION IDENTIFICATION NOTE (R)		\$b - Copy identification (R)	Information that distinguishes one copy of the described materials from other copies.		
562 - COPY AND VERSION IDENTIFICATION NOTE (R)		\$c - Version identification (R)	Information that identifies a version that differs in content but is related across time to another version, e.g., an edition.		
562 - COPY AND VERSION IDENTIFICATION NOTE (R)		\$d - Presentation format (R)	The format in which the material was intended to be used, seen, or heard.		
562 - COPY AND VERSION IDENTIFICATION NOTE (R)		\$e - Number of copies (R)			
562 - COPY AND VERSION IDENTIFICATION NOTE (R)		\$3 - Materials specified (NR)	Identifies the part of the bibliographic item to which the field applies.		
562 - COPY AND VERSION IDENTIFICATION NOTE (R)		\$5 - Institution to which field applies (NR)	contains the MARC code of the institution or organization that holds the copy to which the data in the field applies. It is used for institution-specific information that may or may not apply to the universal use of the holdings record.	holdingsSiteLocation (?)	location may be the leaf node of a hierarchy of locations. All locations back to the root are recursively included in SiteLocation for a single HoldingsStatement. What level of detail is given as to the location is a server decision.
562 - COPY AND VERSION IDENTIFICATION NOTE (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
562 - COPY AND VERSION IDENTIFICATION NOTE (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
563 - BINDING INFORMATION (R)	First - Undefined		Intended primarily for use with antiquarian materials, rare books and other special collections.		
563 - BINDING INFORMATION (R)	# - Undefined				

563 - BINDING INFORMATION (R)	Second - Undefined				
563 - BINDING INFORMATION (R)	# - Undefined				
563 - BINDING INFORMATION (R)		\$a - Binding note (NR)			
563 - BINDING INFORMATION (R)		\$u - Uniform Resource Identifier (R)			
563 - BINDING INFORMATION (R)		\$3 - Materials specified (NR)			
563 - BINDING INFORMATION (R)		\$5 - Institution to which field applies (NR)			
563 - BINDING INFORMATION (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
563 - BINDING INFORMATION (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
583 - ACTION NOTE (R)	First - Undefined		Information about processing and reference or preservation actions related to the bibliographic item for which a separate holdings record is created.		
583 - ACTION NOTE (R)	# - Undefined				
583 - ACTION NOTE (R)	Second - Undefined				
583 - ACTION NOTE (R)	# - Undefined				
583 - ACTION NOTE (R)		\$a - Action (NR)	Standardized terminology descriptive of the action.		
583 - ACTION NOTE (R)		\$b - Action identification (R)	A code or designation that identifies a specific action or identifies it in conjunction with the time of action in subfield \$c.		
583 - ACTION NOTE (R)		\$c - Time/date of action (R)	The concrete time or date of a future or past action.		
583 - ACTION NOTE (R)		\$d - Action interval (R)	A time period that cannot be expressed as a concrete date in subfield \$c.		
583 - ACTION NOTE (R)		\$e - Contingency for action (R)	A time or time period expressed in terms of an unpredictable event, e.g., upon receipt.		
583 - ACTION NOTE (R)		\$f - Authorization (R)	The text of, or citation to, a statute, action order, report, rationale, or rule governing a particular action.		
583 - ACTION NOTE (R)		\$h - Jurisdiction (R)	The name of a person, an organization, or a position or function within the organization, in whom or which the responsibility for an action is vested.		
583 - ACTION NOTE (R)		\$i - Method of action (R)	The means or technique by which an action is performed.		
583 - ACTION NOTE (R)		\$j - Site of action (R)	Includes the site at which the described materials are consulted by users.		
583 - ACTION NOTE (R)		\$k - Action agent (R)	The person or organization performing the action.		
583 - ACTION NOTE (R)		\$l - Status (R)	The condition or state of the described materials.		
583 - ACTION NOTE (R)		\$n - Extent (R)	The number of items involved.		
583 - ACTION NOTE (R)		\$o - Type of unit (R)	The name of the unit of measurement.		
583 - ACTION NOTE (R)		\$u - Uniform Resource Identifier (R)	The Uniform Resource Identifier (URI), for example a URL or URN, which provides electronic access data in a standard syntax.		
583 - ACTION NOTE (R)		\$x - Nonpublic note (R)			
583 - ACTION NOTE (R)		\$z - Public note (R)			

583 - ACTION NOTE (R)		\$2 - Source of term (NR)	A MARC code that identifies the source of the term used to record the action information.		
583 - ACTION NOTE (R)		\$3 - Materials specified (NR)	Identifies the part of the bibliographic item to which the field applies.		
583 - ACTION NOTE (R)		\$5 - Institution to which field applies (NR)			
583 - ACTION NOTE (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
583 - ACTION NOTE (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
841 - HOLDINGS CODED DATA VALUES (NR)	First - Undefined		When holdings data are embedded in a bibliographic record, this field contains certain coded information that would apply to the holdings information if it were in a separate holdings record.		
841 - HOLDINGS CODED DATA VALUES (NR)	# - Undefined				
841 - HOLDINGS CODED DATA VALUES (NR)	Second - Undefined				
841 - HOLDINGS CODED DATA VALUES (NR)	# - Undefined				
841 - HOLDINGS CODED DATA VALUES (NR)		\$a Type of record (NR)	The codes that would be contained in the 4 character positions of Leader/06-09 in a separate holdings record.		
841 - HOLDINGS CODED DATA VALUES (NR)		\$b Fixed-length data elements (NR)	The codes that would be contained in the 32 character positions of field 008 (Fixed-Length Data Elements) in a separate holdings record.		
841 - HOLDINGS CODED DATA VALUES (NR)		\$e Encoding level (NR)	The one-character code that would be contained in Leader/17 (Encoding level) in a separate holdings record.		
842 - TEXTUAL PHYSICAL FORM DESIGNATOR (NR)	First - Undefined		A textual designation of the physical medium, form, or type of material of the item.	physicalFormDesignator	
842 - TEXTUAL PHYSICAL FORM DESIGNATOR (NR)	# - Undefined				
842 - TEXTUAL PHYSICAL FORM DESIGNATOR (NR)	Second - Undefined				
842 - TEXTUAL PHYSICAL FORM DESIGNATOR (NR)	# - Undefined				
842 - TEXTUAL PHYSICAL FORM DESIGNATOR (NR)		\$a Textual physical form designator (NR)	A textual designation of the physical medium, form, or type of material of the item.	physicalFormDesignator	
842 - TEXTUAL PHYSICAL FORM DESIGNATOR (NR)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
842 - TEXTUAL PHYSICAL FORM DESIGNATOR (NR)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
843 - REPRODUCTION NOTE (R)	First - Undefined		A description of the reproduction aspects of the bibliographic item when some or all of the holdings is a reproduction of original materials.		
843 - REPRODUCTION NOTE (R)	# - Undefined				
843 - REPRODUCTION NOTE (R)	Second - Undefined				

843 - REPRODUCTION NOTE (R)	# - Undefined				
843 - REPRODUCTION NOTE (R)		\$a - Type of reproduction (NR)			
843 - REPRODUCTION NOTE (R)		\$b - Place of reproduction (R)	An introductory phrase (ending with a period) that identifies the type of reproduction described in the field.		
843 - REPRODUCTION NOTE (R)		\$c - Agency responsible for reproduction (R)			
843 - REPRODUCTION NOTE (R)		\$d - Date of reproduction (NR)			
843 - REPRODUCTION NOTE (R)		\$e - Physical description of reproduction (NR)			
843 - REPRODUCTION NOTE (R)		\$f - Series statement of reproduction (R)			
843 - REPRODUCTION NOTE (R)		\$m - Dates of publication and/or sequential designation of issues reproduced (R)			
843 - REPRODUCTION NOTE (R)		\$n - Note about reproduction (R)		unionCatReproductionNote	reproduction note for (all or any copies of) the item as reported to a union catalog
843 - REPRODUCTION NOTE (R)		\$3 - Materials specified (NR)	Identifies the part of the bibliographic item to which the field applies.		
843 - REPRODUCTION NOTE (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
843 - REPRODUCTION NOTE (R)		\$7 - Fixed-length data elements of reproduction (NR)			
843 - REPRODUCTION NOTE (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
844 - NAME OF UNIT (NR)	First - Undefined		The bibliographic title or a supplied designation describing a basic bibliographic unit, supplementary material, or an index. A designation used as a caption is contained in a level of enumeration subfield (\$a-\$h) in the applicable 853-855 Captions and Pattern field.		
844 - NAME OF UNIT (NR)	# - Undefined				
844 - NAME OF UNIT (NR)	Second - Undefined				
844 - NAME OF UNIT (NR)	# - Undefined				
844 - NAME OF UNIT (NR)		\$a - Name of unit (NR)		unitName	title or supplied name describing a unit; captions for parts at lower levels are carried in enumeration and chronology
844 - NAME OF UNIT (NR)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
844 - NAME OF UNIT (NR)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)	First - Undefined		Information about the holding organization's lending and reproduction policy for a bibliographic item that cannot be coded in field 008/20 (Lending policy) or 008/21 (Reproduction policy).		
845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)	# - Undefined				
845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)	Second - Undefined				

845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)	# - Undefined				
845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)		\$a - Terms governing use and reproduction (NR)		unionCatTermsUseRepro	terms of use and reproduction note for (all or any copies of) the item as reported to a union catalog
845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)		\$b - Jurisdiction (NR)			
845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)		\$c - Authorization (NR)			
845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)		\$d - Authorized users (NR)			
845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)		\$3 - Materials specified (NR)			
845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)		\$5 - Institution to which field applies (NR)			
845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
845 - TERMS GOVERNING USE AND REPRODUCTION NOTE (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
852 - LOCATION (R)	First - Shelving scheme		Identifies the organization holding the item or from which it is available. May also contain detailed information about how to locate the item in a collection.	holdingsSiteLocation (?)	location may be the leaf node of a hierarchy of locations. All locations back to the root are recursively included in SiteLocation for a single HoldingsStatement. What level of detail is given as to the location is a server decision.
852 - LOCATION (R)	# - No information provided				
852 - LOCATION (R)	0 - Library of Congress classification				
852 - LOCATION (R)	1 - Dewey Decimal classification				
852 - LOCATION (R)	2 - National Library of Medicine classification				
852 - LOCATION (R)	3 - Superintendent of Documents classification				
852 - LOCATION (R)	4 - Shelving control number				

852 - LOCATION (R)	5 - Title				
852 - LOCATION (R)	6 - Shelved separately				
852 - LOCATION (R)	7 - Source specified in subfield \$2				
852 - LOCATION (R)	8 - Other scheme				
852 - LOCATION (R)	Second - Shelving order				
852 - LOCATION (R)	# - No information provided				
852 - LOCATION (R)	0 - Not enumeratio n				
852 - LOCATION (R)	1 - Primary enumeratio n				
852 - LOCATION (R)	2 - Alternative enumeratio n				
852 - LOCATION (R)		\$a - Location (NR)	The institution or person holding the item or from which access is given. Contains a MARC code for the organization or the name of the institution or person holding the item.	InstitutionOrSiteId, LocationName, SubLocation	<b>SubLocation:</b> "[This maps onto 852 \$a plus multiple instances of \$b and/or \$c]"
852 - LOCATION (R)		\$b - Sublocation or collection (R)	The specific department, library, collection, etc., within the holding organization in which the item is located or from which it is available.	LocationName, SubLocation	<b>SubLocation:</b> "[This maps onto 852 \$a plus multiple instances of \$b and/or \$c]"
852 - LOCATION (R)		\$c - Shelving location (R)		LocationName, SubLocation	<b>SubLocation:</b> "[This maps onto 852 \$a plus multiple instances of \$b and/or \$c]"
852 - LOCATION (R)		\$e - Address (R)	Street address, city, state, zip code, and country information for the current physical location of the item.	StreetAddress	a sequence of address lines
852 - LOCATION (R)		\$f - Coded location qualifier (R)	A two- or three-character code that identifies the specific issues of the item that are located apart from the main holdings of the same item.	isiCode	ISO 15511
852 - LOCATION (R)		\$g - Non-coded location qualifier ©	Free text that is used when the codes in subfield \$f are inadequate for describing the unit that is located apart from the main holdings of the same item. Subfield \$g immediately follows the subfield \$a, \$b, or \$c being qualified.	siteNotes	general note at site level
852 - LOCATION (R)		\$h - Classification part (NR)		unionCatShelfMark	a shelfmark or call number for (all or any copies of) the bibliographic item as reported to a union catalog

852 - LOCATION (R)		\$i - Item part ©		unionCatShelfMark	a shelfmark or call number for (all or any copies of) the bibliographic item as reported to a union catalog
852 - LOCATION (R)		\$j - Shelving control number (NR)		unionCatShelfMark	a shelfmark or call number for (all or any copies of) the bibliographic item as reported to a union catalog
852 - LOCATION (R)		\$k - Call number prefix (R)		unionCatShelfMark	a shelfmark or call number for (all or any copies of) the bibliographic item as reported to a union catalog
852 - LOCATION (R)		\$l - Shelving form of title (NR)	The shelving title of an unclassified item that is shelved by title.	unionCatShelfMark	a shelfmark or call number for (all or any copies of) the bibliographic item as reported to a union catalog
852 - LOCATION (R)		\$m - Call number suffix (R)		unionCatShelfMark	a shelfmark or call number for (all or any copies of) the bibliographic item as reported to a union catalog
852 - LOCATION (R)		\$n - Country code (NR)	A two- or three-character MARC code for the principal location contained in subfield \$a. See MARC Code List of Countries.	CountryId	*according to ISO 3166
852 - LOCATION (R)		\$p - Piece designation (NR)	An identification of a single piece when the holdings information does not contain a field 863-865 (Enumeration and Chronology) or 876-878 (Item Information) that contains a subfield \$p (Piece designation).	pieceDesignation	cross referenced to subfield 852\$p in Z39.50 holdings version 1.4
852 - LOCATION (R)		\$q - Piece physical condition (NR)	A description of any unusual characteristic of the physical condition of the piece when the information does not contain a field 863-865 (Enumeration and Chronology) or 876-878 (Item Information) that contains a subfield \$q (Piece physical condition).	pieceNotes	
852 - LOCATION (R)		\$s - Copyright article-fee code (R)			
852 - LOCATION (R)		\$t - Copy number (NR)	A copy number or a range of numbers for copies that have the same location and call number when the holdings information does not contain an 863-865 Enumeration and Chronology field that contains subfield \$t (Copy number).	copyDesignation	cross referenced to subfield 852\$t in Z39.50 holdings version 1.4
852 - LOCATION (R)		\$x - Nonpublic note (R)		siteNotes	general note at site level
852 - LOCATION (R)		\$z - Public note (R)		bibPartNotes, copyNotes, siteNotes, pieceNotes	<b>siteNotes</b> = general note at site level
852 - LOCATION (R)		\$2 - Source of classification or shelving scheme (NR)	See MARC Code Lists for Relators, Sources, Description Conventions		
852 - LOCATION (R)		\$3 - Materials specified (NR)	Identifies the part of the bibliographic item to which the field applies.	unitName	title or supplied name describing a unit; captions for parts at lower levels are carried in enumeration and chronology
852 - LOCATION (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
852 - LOCATION (R)		\$8 - Sequence number (NR)	Data that sequences related holdings records.	<a href="#">holdingsStatements (?)</a> or <a href="#">remoteHoldingsData</a>	<b>holdingsStatements</b> = one holdings statement for each location; <b>remoteHoldingsData</b> = Z39.50 URL for alternative/additional sources of holdings information on the record
856 - ELECTRONIC LOCATION AND ACCESS (R)	First - Access method		The information identifies the electronic location containing the resource or from which it is available, and allows for transfer/retrieval of, subscription to, or logon to resource. See holdings 856 listing for very detailed info.		
856 - ELECTRONIC LOCATION AND ACCESS (R)	# - No information provided				

856 - ELECTRONIC LOCATION AND ACCESS (R)	0 - Email				
856 - ELECTRONIC LOCATION AND ACCESS (R)	1 - FTP				
856 - ELECTRONIC LOCATION AND ACCESS (R)	2 - Remote login (Telnet)				
856 - ELECTRONIC LOCATION AND ACCESS (R)	3 - Dial-up				
856 - ELECTRONIC LOCATION AND ACCESS (R)	4 - HTTP				
856 - ELECTRONIC LOCATION AND ACCESS (R)	7 - Method specified in subfield \$2				
856 - ELECTRONIC LOCATION AND ACCESS (R)	Second - Relationship				
856 - ELECTRONIC LOCATION AND ACCESS (R)	# - No information provided				
856 - ELECTRONIC LOCATION AND ACCESS (R)	0 - Resource				
856 - ELECTRONIC LOCATION AND ACCESS (R)	1 - Version of resource				
856 - ELECTRONIC LOCATION AND ACCESS (R)	2 - Related resource				
856 - ELECTRONIC LOCATION AND ACCESS (R)	8 - No display constant generated				
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$a - Host name (R)	The fully qualified domain (host name) of the electronic location. It contains a network address which is repeated if there is more than one address for the same host.	networkAddress	<b>networkAddress</b> = "host name/IP address [+ port ]"
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$b - Access number (R)	The access number associated with a host. Can contain the Internet Protocol (IP) numeric address item if dial-up access is provided. Generated by system.	networkAddress	
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$c - Compression information (R)	Information about the compression of a file, in particular, whether a specific program is required to decompress the file.		
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$d - Path (R)		networkAddress	
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$f - Electronic name (R)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$g - Uniform Resource Name (R) [OBSOLETE]			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$h - Processor of request (NR)	The username, or processor of the request; generally the data which precedes the "@" in the host address.		

856 - ELECTRONIC LOCATION AND ACCESS (R)		\$i - Instruction (R)	An instruction needed for the remote host to process a request.		
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$j - Bits per second (NR)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$k - Password (NR)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$l - Logon (NR)	Characters needed to connect (i.e., <i>logon</i> , <i>login</i> , etc.) to an electronic resource or FTP site.		
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$m - Contact for access assistance (R)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$n - Name of location of host (NR)	The full name of the location of the host in subfield \$a, including its geographical location.		
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$o - Operating system (NR)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$p - Port (NR)	The portion of the address that identifies the process or service in the host.	networkAddress	networkAddress = "host name/IP address [+ port ]"
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$q - Electronic format type (NR)	An identification of the electronic format type, which is the data representation of the resource, such as text/html, ASCII, Postscript file, executable application, or JPEG image.		
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$r - Settings (NR)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$s - File size (R)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$t - Terminal emulation (R)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$u - Uniform Resource Identifier (R)	The URI, which provides standard syntax for locating an object using existing Internet protocols. Field 856 is structured to allow for the creation of a URL from the concatenation of other separate 856 subfields.	networkAddress	networkAddress = "host name/IP address [+ port ]"
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$v - Hours access method available (R)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$w - Record control number (R)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$x - Nonpublic note (R)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$y - Link text (R)	Used for display in place of the URL in subfield \$u (Uniform resource identifier).		
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$z - Public note (R)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$2 - Access method (NR)	The access method when the first indicator value contains value 7.		
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$3 - Materials specified (NR)			
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
856 - ELECTRONIC LOCATION AND ACCESS (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		

853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)	First - Compressibility and expandability		The caption that is appropriate for each level of enumeration and chronology that is present in a related 863 Enumeration and Chronology Basic Bibliographic Unit field and codes that define the publication pattern of the item.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)	0 - Cannot compress or expand				
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)	1 - Can compress but not expand				
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)	2 - Can compress or expand				
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)	3 - Unknown				
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)	Second - Caption evaluation				
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)	0 - Captions verified; all levels present				
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)	1 - Captions verified; all levels may not be present				
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)	2 - Captions unverified; all levels present				
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)	3 - Captions unverified; all levels may not be present				
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$a - First level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$b - Second level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$c - Third level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration

853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$d - Fourth level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$e - Fifth level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$f - Sixth level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$g - Alternative numbering scheme, first level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	alternativeEnum-->enumCaption	<b>alternativeEnum</b> = Enumeration and chronology in alternative numbering scheme; <b>enumCaption</b> = caption to display with enumeration
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$h - Alternative numbering scheme, second level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	alternativeEnum-->enumCaption	<b>alternativeEnum</b> = Enumeration and chronology in alternative numbering scheme; <b>enumCaption</b> = caption to display with enumeration
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$i - First level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$j - Second level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$k - Third level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$l - Fourth level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$m - Alternative numbering scheme, chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	alternativeEnum-->chronCaption	<b>alternativeEnum</b> = Enumeration and chronology in alternative numbering scheme; <b>chronCaption</b> = caption to display with chronology
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$n - Pattern note (NR)			
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$o - Type of supplementary material (NR) [854]	A caption that describes the type of supplementary material (e.g., annual buyer's guide) in field 854. If the title of the supplementary material is different from the indication of the type, the title is recorded in subfield \$o (Title of supplementary material) of the 864 field.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$o - Type of index (NR) [855]	A caption that describes the type of index (e.g., subject index) in field 855 when the type is specified on the item. If the title of an index is different from the indication of the type, the title is recorded in subfield \$o (Title of index) of the 865 field.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$p - Number of pieces per issuance (NR)			
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$t - Copy (NR)	A caption for the copy number contained in subfield \$t of a linked Enumeration and Chronology field.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$u - Bibliographic units per next higher level (R)	A number (or the code <i>var</i> or <i>und</i> ) that specifies the total number of parts that comprise the next higher level of enumeration.		

853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		[n] - Number of parts	The total number of parts that constitute the next higher level of enumeration for example, a quarterly publication requires 4 issues to make 1 volume.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		var - Varies	Used when a specific number would be meaningless.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		und - Undetermined	Undetermined		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$v - Numbering continuity (R)	Indicates whether the numbering of the described level consists of continuously incrementing numbers or numbers that restart at the completion of the unit.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		c - Number increments continuously	Number increments continuously		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		r - Numbering restarts at the completion of the unit	Numbering restarts at the completion of the unit		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$w - Frequency (NR)	A code or a number that indicates the publication frequency of the item. Subfield \$w is not related to a specific caption. It is input following the last chronology caption used. Specific publishing pattern information is contained in subfield \$y (Regularity). Subfield \$p is also used when both a frequency code and number of pieces per issuance need to be recorded for multipart titles. A number is used to specify the issues per year when no codable periodicity exists.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$x - Calendar change (NR)	One or more two- or four-character numeric codes that indicate the chronological point at which the highest level increments or changes.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$y - Regularity pattern (R)	Describes the regularity of the publishing pattern coded in subfield \$w (Frequency). The subfield may be structured in two ways using either chronology or enumeration code values.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$z - Numbering scheme (R)	A six character code string used to designate the numbering scheme used on a publication. The codes allow for recording different numbering schemes at different levels of enumeration.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$3 - Materials specified (NR)	Specifies the range of volumes or dates to which the field applies.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
853 - CAPTIONS AND PATTERN--BASIC BIBLIOGRAPHIC UNIT (R)		\$8 - Field link and sequence number (NR)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
854 - CAPTIONS AND PATTERN--SUPPLEMENTARY MATERIAL (R)	First - Compressibility and expandability		The caption that is appropriate for each level of enumeration and chronology that is present in a related 864 Enumeration and Chronology--Supplementary Material field and codes that define the publication pattern of the item. It is used only when the supplementary material is not separately cataloged.		
854 - CAPTIONS AND PATTERN--SUPPLEMENTARY MATERIAL (R)	0 - Cannot compress or expand				

854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)	1 - Can compress but not expand				
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)	2 - Can compress or expand				
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)	3 - Unknown				
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)	Second - Caption evaluation				
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)	0 - Captions verified; all levels present				
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)	1 - Captions verified; all levels may not be present				
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)	2 - Captions unverified; all levels present				
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)	3 - Captions unverified; all levels may not be present				
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$a - First level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$b - Second level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$c - Third level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$d - Fourth level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$e - Fifth level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$f - Sixth level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$g - Alternative numbering scheme, first level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	alternativeEnum-->enumCaption	<b>alternativeEnum</b> = Enumeration and chronology in alternative numbering scheme; <b>enumCaption</b> = caption to display with enumeration

854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$h - Alternative numbering scheme, second level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	alternativeEnum-->enumCaption	<b>alternativeEnum</b> = Enumeration and chronology in alternative numbering scheme; <b>enumCaption</b> = caption to display with enumeration
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$i - First level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$j - Second level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$k - Third level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$l - Fourth level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$m - Alternative numbering scheme, chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	alternativeEnum-->chronCaption	<b>alternativeEnum</b> = Enumeration and chronology in alternative numbering scheme; <b>chronCaption</b> = caption to display with chronology
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$n - Pattern note (NR)			
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$o - Type of supplementary material (NR)			
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$p - Number of pieces per issuance (NR)			
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$t - Copy (NR)	A caption for the copy number contained in subfield \$t of a linked Enumeration and Chronology field.		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$u - Bibliographic units per next higher level (R)	A number (or the code <i>var</i> or <i>und</i> ) that specifies the total number of parts that comprise the next higher level of enumeration.		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		[n] - Number of parts	The total number of parts that constitute the next higher level of enumeration for example, a quarterly publication requires 4 issues to make 1 volume.		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		var - Varies	Used when a specific number would be meaningless.		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		und - Undetermined	Undetermined		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$v - Numbering continuity (R)	Indicates whether the numbering of the described level consists of continuously incrementing numbers or numbers that restart at the completion of the unit.		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		c - Number increments continuously	Number increments continuously		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		r - Numbering restarts at the completion of the unit	Numbering restarts at the completion of the unit		

854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$w - Frequency (NR)	A code or a number that indicates the publication frequency of the item. Subfield \$w is not related to a specific caption. It is input following the last chronology caption used. Specific publishing pattern information is contained in subfield \$y (Regularity). Subfield \$p is also used when both a frequency code and number of pieces per issuance need to be recorded for multipart titles. A number is used to specify the issues per year when no codable periodicity exists.		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$x - Calendar change (NR)	One or more two- or four-character numeric codes that indicate the chronological point at which the highest level increments or changes.		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$y - Regularity pattern (R)	Describes the regularity of the publishing pattern coded in subfield \$w (Frequency). The subfield may be structured in two ways using either chronology or enumeration code values.		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$z - Numbering scheme (R)	A six character code string used to designate the numbering scheme used on a publication. The codes allow for recording different numbering schemes at different levels of enumeration.		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$3 - Materials specified (NR)	Specifies the range of volumes or dates to which the field applies.		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
854 - CAPTIONS AND PATTERN-- SUPPLEMENTARY MATERIAL (R)		\$8 - Field link and sequence number (NR)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
855 - CAPTIONS AND PATTERN--INDEXES (R)	First - Undefined		The caption that is appropriate for each level of enumeration and chronology that is present in a related 865 Enumeration and Chronology Indexes field and codes that define the publication pattern for the item.		
855 - CAPTIONS AND PATTERN--INDEXES (R)	# - Undefined				
855 - CAPTIONS AND PATTERN--INDEXES (R)	Second - Undefined				
855 - CAPTIONS AND PATTERN--INDEXES (R)	# - Undefined		= cumulation period??		
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$a - First level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$b - Second level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$c - Third level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$d - Fourth level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$e - Fifth level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration

855 - CAPTIONS AND PATTERN--INDEXES (R)		\$f - Sixth level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	primaryEnum-->enumCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>enumCaption</b> = caption to display with enumeration
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$g - Alternative numbering scheme, first level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	alternativeEnum-->enumCaption	<b>alternativeEnum</b> = Enumeration and chronology in alternative numbering scheme; <b>enumCaption</b> = caption to display with enumeration
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$h - Alternative numbering scheme, second level of enumeration (NR)	The captions for the levels of enumeration applicable to a bibliographic item.	alternativeEnum-->enumCaption	<b>alternativeEnum</b> = Enumeration and chronology in alternative numbering scheme; <b>enumCaption</b> = caption to display with enumeration
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$i - First level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$j - Second level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$k - Third level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$l - Fourth level of chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	primaryEnum-->chronCaption	<b>primaryEnum</b> = Enumeration and chronology in primary numbering scheme; <b>chronCaption</b> = caption to display with chronology
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$m - Alternative numbering scheme, chronology (NR)	The captions for the levels of chronology applicable to a bibliographic item.	alternativeEnum-->chronCaption	<b>alternativeEnum</b> = Enumeration and chronology in alternative numbering scheme; <b>chronCaption</b> = caption to display with chronology
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$n - Pattern note (NR)			
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$o - Type of index (NR)			
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$p - Number of pieces per issuance (NR)			
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$t - Copy (NR)	A caption for the copy number contained in subfield \$t of a linked Enumeration and Chronology field.		
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$u - Bibliographic units per next higher level (R)	A number (or the code <i>var</i> or <i>und</i> ) that specifies the total number of parts that comprise the next higher level of enumeration.		
855 - CAPTIONS AND PATTERN--INDEXES (R)		[n] - Number of parts	The total number of parts that constitute the next higher level of enumeration for example, a quarterly publication requires 4 issues to make 1 volume.		
855 - CAPTIONS AND PATTERN--INDEXES (R)		var - Varies	Used when a specific number would be meaningless.		
855 - CAPTIONS AND PATTERN--INDEXES (R)		und - Undetermined	Undetermined		
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$v - Numbering continuity (R)	Indicates whether the numbering of the described level consists of continuously incrementing numbers or numbers that restart at the completion of the unit.		
855 - CAPTIONS AND PATTERN--INDEXES (R)		c - Number increments continuously	Number increments continuously		
855 - CAPTIONS AND PATTERN--INDEXES (R)		r - Numbering restarts at the completion of the unit	Numbering restarts at the completion of the unit		

855 - CAPTIONS AND PATTERN--INDEXES (R)		\$w - Frequency (NR)	A code or a number that indicates the publication frequency of the item. Subfield \$w is not related to a specific caption. It is input following the last chronology caption used. Specific publishing pattern information is contained in subfield \$y (Regularity). Subfield \$p is also used when both a frequency code and number of pieces per issuance need to be recorded for multipart titles. A number is used to specify the issues per year when no codable periodicity exists.		
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$x - Calendar change (NR)	One or more two- or four-character numeric codes that indicate the chronological point at which the highest level increments or changes.		
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$y - Regularity pattern (R)	Describes the regularity of the publishing pattern coded in subfield \$w (Frequency). The subfield may be structured in two ways using either chronology or enumeration code values.		
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$z - Numbering scheme (R)	A six character code string used to designate the numbering scheme used on a publication. The codes allow for recording different numbering schemes at different levels of enumeration.		
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$3 - Materials specified (NR)	Specifies the range of volumes or dates to which the field applies.		
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
855 - CAPTIONS AND PATTERN--INDEXES (R)		\$8 - Field link and sequence number (NR)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
863 - ENUMERATION AND CHRONOLOGY--BASIC BIBLIOGRAPHIC UNIT (R)	First - Field encoding level		The enumeration and chronology of a basic bibliographic unit in the holdings of the reporting organization. Links to 853.		
863 - ENUMERATION AND CHRONOLOGY--BASIC BIBLIOGRAPHIC UNIT (R)	# - No information provided				
863 - ENUMERATION AND CHRONOLOGY--BASIC BIBLIOGRAPHIC UNIT (R)	3 - Holdings level 3				
863 - ENUMERATION AND CHRONOLOGY--BASIC BIBLIOGRAPHIC UNIT (R)	4 - Holdings level 4				
863 - ENUMERATION AND CHRONOLOGY--BASIC BIBLIOGRAPHIC UNIT (R)	5 - Holdings level 4 with piece designation				
863 - ENUMERATION AND CHRONOLOGY--BASIC BIBLIOGRAPHIC UNIT (R)	Second - Form of holdings				

863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)	# - No information provided				
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)	0 - Compressed				
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)	1 - Uncompressed				
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)	2 - Compressed, use textual display				
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)	3 - Uncompressed, use textual display				
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)	4 - Item(s) not published				
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$a - First level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	"863-865 \$a- \$f"
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$b - Second level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	"863-865 \$a- \$f"
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$c - Third level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	"863-865 \$a- \$f"
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$d - Fourth level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	"863-865 \$a- \$f"
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$e - Fifth level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	"863-865 \$a- \$f"
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$f - Sixth level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	"863-865 \$a- \$f"
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$g - Alternative numbering scheme, first level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item. When alternative numbering schemes are applicable to an item, subfields \$g and \$h contain the alternative enumeration.	specificEnumeration	Specific enumeration
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$h - Alternative numbering scheme, second level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item. When alternative numbering schemes are applicable to an item, subfields \$g and \$h contain the alternative enumeration.	specificEnumeration	Specific enumeration
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$i - First level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology

863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$j - Second level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$k - Third level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$l - Fourth level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$m - Alternative numbering scheme, chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.		
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$n - Converted Gregorian year (NR)	The Gregorian-calendar conversion of a year that is recorded in a non-Gregorian scheme in a chronology-level subfield (\$i-\$m).		
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$o - Title of supplementary material	The title of supplementary material (for example, <i>Annual buyer's guide</i> ) in field 864.		
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$p - Piece designation (NR)	An identification of a piece. The designation may be an identification number such as a bar code number or an accession number.		
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$q - Piece physical condition (NR)	When the piece physical condition applies to the entire holdings statement, it is recorded in subfield \$q (Piece physical condition) of field 852 (Location).		
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$s - Copyright article-fee code (R)	A unique identification code for a component part of a monograph or a continuing resource.		
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$t - Copy number (NR)	A single copy number or a range of numbers for copies that have the same location and call number.		
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$w - Break indicator (NR)	Indicates the reason for a break in the enumeration and chronology.		
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		g - Gap break	Part(s) are lacking in the holdings; there is doubt as to the cause of the break; or the cause is not known.		
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		n - Nongap break	Break is due to unpublished part(s) or a lack of continuity in the enumeration and chronology of the parts.		
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$x - Nonpublic note (R)			
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$z - Public note (R)			
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$6 - Linkage(NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
863 - ENUMERATION AND CHRONOLOGY-- BASIC BIBLIOGRAPHIC UNIT (R)		\$8 - Field link and sequence number (NR)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	First - Field encoding level		The enumeration and chronology of supplementary material that are not separately cataloged in the holdings of the reporting organization. Links to 854.		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	# - No information provided				

864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	3 - Holdings level 3				
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	4 - Holdings level 4				
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	5 - Holdings level 4 with piece designation				
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	Second - Form of holdings				
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	# - No information provided				
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	0 - Compressed				
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	1 - Uncompressed				
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	2 - Compressed, use textual display				
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	3 - Uncompressed, use textual display				
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)	4 - Item(s) not published				
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$a - First level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$b - Second level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$c - Third level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$d - Fourth level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$e - Fifth level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$f - Sixth level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration

864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$g - Alternative numbering scheme, first level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item. When alternative numbering schemes are applicable to an item, subfields \$g and \$h contain the alternative enumeration.	specificEnumeration	Specific enumeration
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$h - Alternative numbering scheme, second level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item. When alternative numbering schemes are applicable to an item, subfields \$g and \$h contain the alternative enumeration.	specificEnumeration	Specific enumeration
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$i - First level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$j - Second level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$k - Third level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$l - Fourth level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$m - Alternative numbering scheme, chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$n - Converted Gregorian year (NR)	The Gregorian-calendar conversion of a year that is recorded in a non-Gregorian scheme in a chronology-level subfield (\$i-\$m).		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$o - Title of supplementary material (NR) [864]	The title of supplementary material (for example, <i>Annual buyer's guide</i> ) in field 864.		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$p - Piece designation (NR)	An identification of a piece. The designation may be an identification number such as a bar code number or an accession number.		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$q - Piece physical condition (NR)	When the piece physical condition applies to the entire holdings statement, it is recorded in subfield \$q (Piece physical condition) of field 852 (Location).		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$s - Copyright article-fee code (R)	A unique identification code for a component part of a monograph or a continuing resource.		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$t - Copy number (NR)	A single copy number or a range of numbers for copies that have the same location and call number.		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$w - Break indicator (NR)	Indicates the reason for a break in the enumeration and chronology.		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		g - Gap break	Part(s) are lacking in the holdings; there is doubt as to the cause of the break; or the cause is not known.		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		n - Nongap break	Break is due to unpublished part(s) or a lack of continuity in the enumeration and chronology of the parts.		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$x - Nonpublic note (R)			
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$z - Public note (R)			

864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$6 - Linkage(NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
864 - ENUMERATION AND CHRONOLOGY-- SUPPLEMENTARY MATERIAL (R)		\$8 - Field link and sequence number (NR)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	First - Field encoding level		The enumeration and chronology of indexes that are not separately cataloged in the holdings of the reporting organization. Links to 855.		
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	# - No information provided				
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	3 - Holdings level 3				
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	4 - Holdings level 4				
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	5 - Holdings level 4 with piece designation				
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	Second - Form of holdings				
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	# - No information provided				
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	0 - Compressed				
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	1 - Uncompressed				
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	2 - Compressed, use textual display				
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	3 - Uncompressed, use textual display				
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)	4 - Item(s) not published				
865 - ENUMERATION AND CHRONOLOGY-- INDEXES (R)		\$a - First level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration

865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$b - Second level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$c - Third level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$d - Fourth level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$e - Fifth level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$f - Sixth level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	specificEnumeration	Specific enumeration
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$g - Alternative numbering scheme, first level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item. When alternative numbering schemes are applicable to an item, subfields \$g and \$h contain the alternative enumeration.		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$h - Alternative numbering scheme, second level of enumeration (NR)	The levels of enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item. When alternative numbering schemes are applicable to an item, subfields \$g and \$h contain the alternative enumeration.		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$i - First level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$j - Second level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$k - Third level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$l - Fourth level of chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.	specificChronology	specific chronology
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$m - Alternative numbering scheme, chronology (NR)	The hierarchical levels of chronology that either appear on an item or that are used by reporting organization to record the receipt of an item.		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$n - Converted Gregorian year (NR)	The Gregorian-calendar conversion of a year that is recorded in a non-Gregorian scheme in a chronology-level subfield (\$i-\$m).		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$o - Title of index (NR) [865]	The title of supplementary material (for example, <i>Annual buyer's guide</i> ) in field 864.		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$p - Piece designation (NR)	An identification of a piece. The designation may be an identification number such as a bar code number or an accession number.		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$q - Piece physical condition (NR)	When the piece physical condition applies to the entire holdings statement, it is recorded in subfield \$q (Piece physical condition) of field 852 (Location).		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$s - Copyright article-fee code (R)	A unique identification code for a component part of a monograph or a continuing resource.		

865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$t - Copy number (NR)	A single copy number or a range of numbers for copies that have the same location and call number.		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$w - Break indicator (NR)	Indicates the reason for a break in the enumeration and chronology.		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		g - Gap break	Part(s) are lacking in the holdings; there is doubt as to the cause of the break; or the cause is not known.		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		n - Nongap break	Break is due to unpublished part(s) or a lack of continuity in the enumeration and chronology of the parts.		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$x - Nonpublic note (R)			
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$z - Public note (R)			
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$6 - Linkage(NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
865 - ENUMERATION AND CHRONOLOGY--INDEXES (R)		\$8 - Field link and sequence number (NR)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)	First - Field encoding level		A textual description of the holdings of a basic bibliographic unit in the collections of the reporting organization. Used instead of or in addition to 863 and its linkage 853.		
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)	# - No information provided				
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)	3 - Holdings level 3				
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)	4 - Holdings level 4				
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)	5 - Holdings level 4 with piece designation				
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)	Second - Type of notation				
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)	0 - Non-standard				
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)	1 - ANSI/NISO Z39.71 or ISO 10324				
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)	2 - ANSI Z39.42				

866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)		\$a - Textual string (NR)	The textual form of holdings may be used either instead of or in addition to holdings recorded in the Caption and Pattern (853-855) and Enumeration and Chronology (863-865) fields.	unstructuredSummaryEnum	Unstructured statement of summary chronology and enumeration
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)		\$x - Nonpublic note (R)			
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)		\$z - Public note (R)			
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)		\$6 - Linkage(NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
866 - TEXTUAL HOLDINGS--BASIC BIBLIOGRAPHIC UNIT (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
867 - TEXTUAL HOLDINGS--SUPPLEMENTARY MATERIAL (R)	First - Field encoding level		A textual description of the holdings of supplementary material in the collections of the reporting organization.Used instead of or in addition to 864 and its linkage 854.		
867 - TEXTUAL HOLDINGS--SUPPLEMENTARY MATERIAL (R)	# - No information provided				
867 - TEXTUAL HOLDINGS--SUPPLEMENTARY MATERIAL (R)	3 - Holdings level 3				
867 - TEXTUAL HOLDINGS--SUPPLEMENTARY MATERIAL (R)	4 - Holdings level 4				
867 - TEXTUAL HOLDINGS--SUPPLEMENTARY MATERIAL (R)	5 - Holdings level 4 with piece designation				
867 - TEXTUAL HOLDINGS--SUPPLEMENTARY MATERIAL (R)	Second - Type of notation				
867 - TEXTUAL HOLDINGS--SUPPLEMENTARY MATERIAL (R)	0 - Non-standard				
867 - TEXTUAL HOLDINGS--SUPPLEMENTARY MATERIAL (R)	1 - ANSI/NISO Z39.71 or ISO 10324				
867 - TEXTUAL HOLDINGS--SUPPLEMENTARY MATERIAL (R)	2 - ANSI Z39.42				
867 - TEXTUAL HOLDINGS--SUPPLEMENTARY MATERIAL (R)		\$a - Textual string (NR)	The textual form of holdings may be used either instead of or in addition to holdings recorded in the Caption and Pattern (853-855) and Enumeration and Chronology (863-865) fields.		
867 - TEXTUAL HOLDINGS--SUPPLEMENTARY MATERIAL (R)		\$x - Nonpublic note (R)			

867 - TEXTUAL HOLDINGS-- SUPPLEMENTARY MATERIAL (R)		\$z - Public note (R)			
867 - TEXTUAL HOLDINGS-- SUPPLEMENTARY MATERIAL (R)		\$6 - Linkage(NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
867 - TEXTUAL HOLDINGS-- SUPPLEMENTARY MATERIAL (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
868 - TEXTUAL HOLDINGS--INDEXES (R)	First - Field encoding level		A textual description of the holdings of indexes in the collections of the reporting organization. Used instead of or in addition to 865 and its linkage 855.		
868 - TEXTUAL HOLDINGS--INDEXES (R)	# - No information provided				
868 - TEXTUAL HOLDINGS--INDEXES (R)	3 - Holdings level 3				
868 - TEXTUAL HOLDINGS--INDEXES (R)	4 - Holdings level 4				
868 - TEXTUAL HOLDINGS--INDEXES (R)	5 - Holdings level 4 with piece designation				
868 - TEXTUAL HOLDINGS--INDEXES (R)	Second - Type of notation				
868 - TEXTUAL HOLDINGS--INDEXES (R)	0 - Non-standard				
868 - TEXTUAL HOLDINGS--INDEXES (R)	1 - ANSI/NISO Z39.71 or ISO 10324				
868 - TEXTUAL HOLDINGS--INDEXES (R)	2 - ANSI Z39.42				
868 - TEXTUAL HOLDINGS--INDEXES (R)		\$a - Textual string (NR)	The textual form of holdings may be used either instead of or in addition to holdings recorded in the Caption and Pattern (853-855) and Enumeration and Chronology (863-865) fields.	unstructuredSummaryEnum	Unstructured statement of summary chronology and enumeration
868 - TEXTUAL HOLDINGS--INDEXES (R)		\$x - Nonpublic note (R)			
868 - TEXTUAL HOLDINGS--INDEXES (R)		\$z - Public note (R)		bibPartNotes	no description
868 - TEXTUAL HOLDINGS--INDEXES (R)		\$6 - Linkage(NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
868 - TEXTUAL HOLDINGS--INDEXES (R)		\$8 - Field link and sequence number (R)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		

876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R	First - Undefined		Item information about a basic bibliographic unit in the holdings of the reporting organization. A display may be generated from the contents of field 876 and its related 852 (Location), 853/863 (Captions and Pattern/Enumeration and Chronology), or 866 (Textual Holdings) field to which it is linked by subfield \$8 (Field link and sequence number) or related by subfield \$3 (Materials specified).		
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R	# - Undefined				
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R	Second - Undefined				
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R	# - Undefined				
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$a - Internal item number (NR)	A unique identifying number for the item.	targetPieceId	no description
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$b - Invalid or canceled internal item number (R)			
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$c - Cost (R)	The price or cost replacement fee for the item.	pieceValue	no description
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$d - Date acquired (R)	The date the item was acquired in the form YYYYMMDD, according to ISO 8601.		
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$e - Source of acquisition (R)			
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$h - Use restrictions (R)	Information about any restrictions on the use of the item. It is used when necessary to include information that is too item specific to be handled by field 506.		
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$j - Item status (R)	Information about the permanent status of the item, e.g. lost or withdrawn.	pieceCircInfo	no description
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$l - Temporary location (R)	Temporary location information relative to the permanent location specified in field 852 (Location).	temporaryLocation	no description
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$p - Piece designation (R)	A bar code or other machine-readable piece designation (such as OCR) associated with the item.	pieceDesignation	no description
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$r - Invalid or canceled piece designation (R)			
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$t - Copy number (NR)			
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$x - Nonpublic note (R)			
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$z - Public note (R)		pieceNotes	no description
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$3 - Materials specified (NR)			
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
876 - ITEM INFORMATION--BASIC BIBLIOGRAPHIC UNIT (R		\$8 - Field link and sequence number (NR)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		

877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)	First - Undefined		Item information about supplementary material that are not separately cataloged in the holdings of the reporting organization. A display may be generated from the contents of field 877 and its related 852 (Location), 854/864 (Captions and Pattern/Enumeration and Chronology), or 867 (Textual Holdings) field to which it is linked by subfield \$8 (Field link and sequence number) or related by subfield \$3 (Materials specified).		
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)	# - Undefined				
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)	Second - Undefined				
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)	# - Undefined				
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$a - Internal item number (NR)	A unique identifying number for the item.	targetPieceId	no description
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$b - Invalid or canceled internal item number (R)			
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$c - Cost (R)	The price or cost replacement fee for the item.	pieceValue	no description
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$d - Date acquired (R)	The date the item was acquired in the form YYYYMMDD, according to ISO 8601.		
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$e - Source of acquisition (R)			
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$h - Use restrictions (R)	Information about any restrictions on the use of the item. It is used when necessary to include information that is too item specific to be handled by field 506.		
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$j - Item status (R)	Information about the permanent status of the item, e.g. lost or withdrawn.	pieceCircInfo	no description
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$l - Temporary location (R)	Temporary location information relative to the permanent location specified in field 852 (Location).	temporaryLocation	no description
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$p - Piece designation (R)	A bar code or other machine-readable piece designation (such as OCR) associated with the item.	pieceDesignation	no description
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$r - Invalid or canceled piece designation (R)			
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$t - Copy number (NR)			
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$x - Nonpublic note (R)			
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$z - Public note (R)		pieceNotes	no description
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$3 - Materials specified (NR)			
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
877 - ITEM INFORMATION--SUPPLEMENTARY MATERIAL (R)		\$8 - Field link and sequence number (NR)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		

878 - ITEM INFORMATION--INDEXES (R)	First - Undefined		Item information about indexes that are not separately cataloged in the holdings of the reporting organization. A display may be generated from the contents of field 878 and its related 852 (Location), 855/865 (Captions and Pattern/Enumeration and Chronology), or 868 (Textual Holdings) field to which it is linked by subfield \$8 (Field link and sequence number) or related by subfield \$3 (Materials specified).		
878 - ITEM INFORMATION--INDEXES (R)	# - Undefined				
878 - ITEM INFORMATION--INDEXES (R)	Second - Undefined				
878 - ITEM INFORMATION--INDEXES (R)	# - Undefined				
878 - ITEM INFORMATION--INDEXES (R)		\$a - Internal item number (NR)	A unique identifying number for the item.	targetPieceId	no description
878 - ITEM INFORMATION--INDEXES (R)		\$b - Invalid or canceled internal item number (R)			
878 - ITEM INFORMATION--INDEXES (R)		\$c - Cost (R)	The price or cost replacement fee for the item.	pieceValue	no description
878 - ITEM INFORMATION--INDEXES (R)		\$d - Date acquired (R)	The date the item was acquired in the form YYYYMMDD, according to ISO 8601.		
878 - ITEM INFORMATION--INDEXES (R)		\$e - Source of acquisition (R)			
878 - ITEM INFORMATION--INDEXES (R)		\$h - Use restrictions (R)	Information about any restrictions on the use of the item. It is used when necessary to include information that is too item specific to be handled by field 506.		
878 - ITEM INFORMATION--INDEXES (R)		\$j - Item status (R)	Information about the permanent status of the item, e.g. lost or withdrawn.	pieceCircInfo	no description
878 - ITEM INFORMATION--INDEXES (R)		\$l - Temporary location (R)	Temporary location information relative to the permanent location specified in field 852 (Location).	temporaryLocation	no description
878 - ITEM INFORMATION--INDEXES (R)		\$p - Piece designation (R)	A bar code or other machine-readable piece designation (such as OCR) associated with the item.	pieceDesignation	no description
878 - ITEM INFORMATION--INDEXES (R)		\$r - Invalid or canceled piece designation (R)			
878 - ITEM INFORMATION--INDEXES (R)		\$t - Copy number (NR)			
878 - ITEM INFORMATION--INDEXES (R)		\$x - Nonpublic note (R)			
878 - ITEM INFORMATION--INDEXES (R)		\$z - Public note (R)		pieceNotes	no description
878 - ITEM INFORMATION--INDEXES (R)		\$3 - Materials specified (NR)			
878 - ITEM INFORMATION--INDEXES (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
878 - ITEM INFORMATION--INDEXES (R)		\$8 - Field link and sequence number (NR)	Subfield \$8 contains data that identifies linked fields and may also propose a sequence for the linked fields.		
880 - ALTERNATE GRAPHIC REPRESENTATION (R)	First - Same as associated field		The fully content-designated, alternate graphic representation of another field in the same record.		
880 - ALTERNATE GRAPHIC REPRESENTATION (R)	Second - Same as associated field				

880 - ALTERNATE GRAPHIC REPRESENTATION (R)		\$6 - Linkage (NR)	Subfield \$6 contains data that links fields that are different script representations of each other.		
880 - ALTERNATE GRAPHIC REPRESENTATION (R)		\$a-z - Same as associated field			
880 - ALTERNATE GRAPHIC REPRESENTATION (R)		\$0-5 - Same as associated field			
880 - ALTERNATE GRAPHIC REPRESENTATION (R)		\$7-9 - Same as associated field			